

## POPULATION ESTIMATES

## CENSUS DATA

## LOCAL PUBLIC HEALTH

Total 1995 Population Est 6,300  
Percent Female 50.3

Population per square mile 8  
Rank in state 72  
(1=highest population density,  
72=lowest population density.)

| Age   | Female | Male  | Total |
|-------|--------|-------|-------|
| 0-14  | 520    | 520   | 1,040 |
| 15-19 | 200    | 230   | 416   |
| 20-24 | 140    | 170   | 310   |
| 25-29 | 120    | 130   | 250   |
| 30-34 | 190    | 200   | 390   |
| 35-39 | 230    | 250   | 480   |
| 40-44 | 200    | 260   | 460   |
| 45-54 | 390    | 380   | 770   |
| 55-64 | 360    | 350   | 710   |
| 65-74 | 410    | 350   | 760   |
| 75-84 | 300    | 240   | 540   |
| 85+   | 110    | 50    | 160   |
| Total | 3,170  | 3,130 | 6,300 |

| Age   | Female | Male  | Total |
|-------|--------|-------|-------|
| 0-17  | 630    | 660   | 1,290 |
| 18-44 | 970    | 1,100 | 2,070 |
| 45-64 | 750    | 730   | 1,480 |
| 65+   | 820    | 640   | 1,460 |
| Total | 3,170  | 3,130 | 6,300 |

Note: Data in this section are from the 1990 Census. (All other sections contain 1995 data except where specified.)

Ratio of 1989 Family  
Income to Poverty  
(Cumulative)

| Age   | <100% | <185% | <200% | Total |
|-------|-------|-------|-------|-------|
| <5    | 17    | 43    | 47    | 307   |
| 5-17  | 15    | 45    | 51    | 984   |
| 18-44 | 13    | 37    | 43    | 1,947 |
| 45-64 | 10    | 31    | 36    | 1,380 |
| 65+   | 14    | 55    | 60    | 1,403 |

--- C A N C E R I N C I D E N C E ---  
(1995)

| Primary site | Number |
|--------------|--------|
| Colon        | 2      |
| Lung         | 8      |
| Breast       | 8      |
| Prostate     | 6      |
| All others   | 18     |
| Total        | 42     |

## E M P L O Y M E N T

Note: Average wage is based on place of work, not place of residence.

Average wage for jobs covered  
by Unemployment Compensation \$14,793

| Labor Force Estimates | Annual Average |
|-----------------------|----------------|
| Civilian labor force  | 3,131          |
| Number employed       | 2,905          |
| Number unemployed     | 226            |
| Unemployment rate     | 7.2%           |

## L O N G T E R M C A R E

|                         |     |
|-------------------------|-----|
| Home Health Agencies    | 1   |
| Patients                | 384 |
| Patients per 10,000 pop | 610 |

|  |       |
|--|-------|
| Nursing Homes                                      | 2     |
| Licensed beds                                      | 106   |
| Occupancy rate (percent)                           | 97.3% |
| Residents on 12/31/95                              | 106   |
| Residents per 1,000<br>population aged 65 or older | 69    |

| Activities Reported | Number | Per 10,000 |
|---------------------|--------|------------|
|---------------------|--------|------------|

|                        |     |     |
|------------------------|-----|-----|
| Public Health Nursing  |     |     |
| Total clients          | 40  | 64  |
| Total visits           | 151 | 240 |
| Visits: Reason for     |     |     |
| Gen hlth promotion     | 45  | 72  |
| Infant/child hlth      | 6   | 10  |
| Infectious & parasitic | .   | .   |
| Circulatory            | .   | .   |
| Prenatal               | .   | .   |
| Postpartum             | .   | .   |

|                  |     |     |
|------------------|-----|-----|
| WIC Participants | 301 | 478 |
|------------------|-----|-----|

|                |       |       |
|----------------|-------|-------|
| Clinic Visits  | 5,364 | 8,536 |
| Immunization   | 1,254 | 1,996 |
| Blood pressure | 321   | 511   |

|                        |    |    |
|------------------------|----|----|
| Environmental Contacts |    |    |
| Env hazards            | 14 | 22 |
| Public health nuisance | 5  | 8  |

|                    |     |     |
|--------------------|-----|-----|
| School Health      |     |     |
| Vision screenings  | 379 | 603 |
| Hearing screenings | 157 | 250 |

|                      |     |     |
|----------------------|-----|-----|
| Health Education     |     |     |
| Community sessions   | 4   | 6   |
| Community attendance | 80  | 127 |
| School sessions      | 5   | 8   |
| School attendance    | 147 | 234 |

|                           |   |     |
|---------------------------|---|-----|
| Staffing - FTEs           |   |     |
| Total staff               | 4 | 6.7 |
| Administrators            | 1 | 1.6 |
| Public health nurses      | . | .   |
| Public health aides       | . | .   |
| Environmental specialists | . | .   |

## LOCAL PUBLIC HEALTH FUNDING

|               | Amount    | Per Capita |
|---------------|-----------|------------|
| Total funding | \$175,892 | \$27.99    |
| Local taxes   | \$79,671  | \$12.68    |

## NATALITY

|  |  |  |              |                  |                                    |  |         |                                   |                |                          |  |               |  |
|--|--|--|--------------|------------------|------------------------------------|--|---------|-----------------------------------|----------------|--------------------------|--|---------------|--|
| TOTAL LIVE BIRTHS                              |  |  | 63           | Birth Order      |                                    |  | Births  | Percent                           | Marital Status |                          |  |               |  |
| Crude Live Birth Rate                          |  |  | 10.0         | First            |                                    |  | 27      | 43                                | of Mother      |                          |  |               |  |
| General Fertility Rate                         |  |  | 58.8         | Second           |                                    |  | 16      | .                                 | Married        |                          |  |               |  |
|  |  |  |              | Third            |                                    |  | 7       | .                                 | Not married    |                          |  |               |  |
|  |  |  |              | Fourth or higher |                                    |  | 11      | .                                 | Unknown        |                          |  |               |  |
| Live births with reported congenital anomalies |  |  | 2 . %        | Unknown          |                                    |  | 2       | .                                 |                |                          |  |               |  |
| Delivery Type                                  |  |  | Births       | Percent          | First Prenatal Visit               |  |         | Births                            | Percent        | Education of Mother      |  |               |  |
| Vaginal after previous cesarean                |  |  | 1            | .                | 1st trimester                      |  |         | 52                                | 83             | Elementary or less       |  |               |  |
| Forceps  |  |  | 1            | .                | 2nd trimester                      |  |         | 8                                 | .              | Some high school         |  |               |  |
| Other vaginal                                  |  |  | 38           | 60               | 3rd trimester                      |  |         | 2                                 | .              | High school              |  |               |  |
| Primary cesarean                               |  |  | 15           | .                | No visits                          |  |         | 1                                 | .              | Some college             |  |               |  |
| Repeat cesarean                                |  |  | 8            | .                | Unknown                            |  |         | 0                                 | .              | College graduate         |  |               |  |
| Other or unknown                               |  |  | 0            | .                |                                    |  |         |                                   |                | Unknown                  |  |               |  |
| Birth Weight                                   |  |  | Births       | Percent          | Number of Prenatal Care visits     |  |         | Births                            | Percent        | Smoking Status of Mother |  |               |  |
| <1, 500 gm                                     |  |  | 1            | .                | No visits                          |  |         | 1                                 | .              | Smoker                   |  |               |  |
| 1, 500-2, 499 gm                               |  |  | 8            | .                | 1- 4 visits                        |  |         | 0                                 | .              | Nonsmoker                |  |               |  |
| 2, 500+ gm                                     |  |  | 54           | 85.7             | 5- 9 visits                        |  |         | 12                                | .              | Unknown                  |  |               |  |
| Unknown  |  |  | 0            | .                | 10- 12 visits                      |  |         | 19                                | .              |                          |  |               |  |
|  |  |  |              |                  | 13 + visits                        |  |         | 31                                | 49             |                          |  |               |  |
|  |  |  |              |                  | Unknown                            |  |         | 0                                 | .              |                          |  |               |  |
|  |  |  |              |                  | Low Birth Weight (under 2, 500 gm) |  |         | Trimester of First Prenatal Visit |                |                          |  |               |  |
| Race of Mother                                 |  |  | Total Births |                  | Births                             |  | Percent | 1st Trimester                     |                | 2nd Trimester            |  | Other/Unknown |  |
| White  |  |  | 59           | 94               | 9                                  |  | .       | 49                                |                | 83                       |  | 7             |  |
| Black  |  |  | 0            | .                | .                                  |  | .       | .                                 |                | .                        |  | 3             |  |
| Other  |  |  | 4            | .                | .                                  |  | .       | .                                 |                | .                        |  | .             |  |
| Unknown  |  |  | 0            | .                | .                                  |  | .       | .                                 |                | .                        |  | .             |  |
|  |  |  |              |                  | Low Birth Weight (under 2, 500 gm) |  |         | Trimester of First Prenatal Visit |                |                          |  |               |  |
| Age of Mother                                  |  |  | Births       | Fertility Rate   | Births                             |  | Percent | 1st Trimester                     |                | 2nd Trimester            |  | Other/Unknown |  |
| <15  |  |  | 0            | --               | .                                  |  | .       | .                                 |                | .                        |  | .             |  |
| 15- 17   |  |  | 0            | .                | .                                  |  | .       | .                                 |                | .                        |  | .             |  |
| 18- 19   |  |  | 2            | .                | .                                  |  | .       | 1                                 |                | .                        |  | .             |  |
| 20- 24   |  |  | 25           | 181              | 5                                  |  | .       | 20                                |                | 80                       |  | 3             |  |
| 25- 29   |  |  | 10           | .                | 2                                  |  | .       | 10                                |                | .                        |  | 2             |  |
| 30- 34   |  |  | 19           | .                | 2                                  |  | .       | 16                                |                | .                        |  | .             |  |
| 35- 39   |  |  | 6            | .                | .                                  |  | .       | 5                                 |                | .                        |  | 1             |  |
| 40+  |  |  | 1            | .                | .                                  |  | .       | .                                 |                | .                        |  | .             |  |
| Unknown  |  |  | 0            | --               | .                                  |  | .       | .                                 |                | .                        |  | .             |  |
| Teenage Births                                 |  |  | 2            | .                |                                    |  |         |                                   |                |                          |  |               |  |

## ----- M O R B I D I T Y -----

## ----- M O R T A L I T Y -----

## REPORTED CASES OF SELECTED DISEASES

| Disease                 | Number |
|-------------------------|--------|
| Campylobacter Enteritis | 0      |
| Giardiasis              | 0      |
| Hepatitis Type A        | <5     |
| Hepatitis Type B*       | <5     |
| Hepatitis NANB/C**      | 0      |
| Legionnaire's           | 0      |
| Lyme                    | <5     |
| Measles                 | 0      |
| Meningitis, Aseptic     | 0      |
| Meningitis, Bacterial   | <5     |
| Mumps                   | 0      |
| Pertussis               | 0      |
| Salmonellosis           | <5     |
| Shigellosis             | 0      |
| Tuberculosis            | 0      |

\* Includes HBV carriers

\*\* Includes HCV screens

Sexually Transmitted Disease

|                          |    |
|--------------------------|----|
| Chlamydia Trachomatis    | <5 |
| Genital Herpes           | 0  |
| Gonorrhea                | <5 |
| Nongonococcal Cervicitis | 0  |
| Nongonococcal Urethritis | 0  |
| Syphilis                 | 0  |

## ----- I M M U N I Z A T I O N S -----

Children in Grades K-12 by  
Compliance Level

|                   |       |
|-------------------|-------|
| Compliant         | 1,059 |
| Non-compliant     | 15    |
| Percent Compliant | 98.6  |

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and post-neonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths.

TOTAL DEATHS 87  
Crude Death Rate 1,381

| Age   | Deaths | Rate  |
|-------|--------|-------|
| 1-4   | .      | .     |
| 5-14  | .      | .     |
| 15-19 | 1      | .     |
| 20-34 | 2      | .     |
| 35-54 | 6      | .     |
| 55-64 | 10     | .     |
| 65-74 | 20     | 2,637 |
| 75-84 | 30     | 5,582 |
| 85+   | 18     | .     |

| Infant Mortality | Deaths | Rate |
|------------------|--------|------|
| Total Infant     | .      | .    |
| Neonatal         | .      | .    |
| Post-neonatal    | .      | .    |
| Unknown          | .      | .    |

| Race of Mother | Deaths | Rate |
|----------------|--------|------|
| White          | .      | .    |
| Black          | .      | .    |
| Other          | .      | .    |
| Unknown        | .      | .    |

| Birth Weight   | Deaths | Rate |
|----------------|--------|------|
| <1,500 gm      | .      | .    |
| 1,500-2,499 gm | .      | .    |
| 2,500+ gm      | .      | .    |
| Unknown        | .      | .    |

| Perinatal Mortality | Deaths | Rate |
|---------------------|--------|------|
| Total Perinatal     | .      | .    |
| Neonatal            | .      | .    |
| Fetal               | .      | .    |

| Selected Underlying Cause | Deaths | Rate |
|---------------------------|--------|------|
| Heart Disease (total)     | 30     | 476  |
| Coronary heart disease    | 21     | 333  |
| Cancer (total)            | 26     | 413  |
| Lung                      | 6      | .    |
| Colorectal                | 2      | .    |
| Female breast             | 2      | .*   |
| Cerebrovascular Disease   | 7      | .    |
| Chron Obstr Pulmonary     | 6      | .    |
| Pneumonia & Influenza     | 3      | .    |
| Injuries                  | 3      | .    |
| Motor vehicle             | 2      | .    |
| Diabetes                  | .      | .    |
| Infectious & Parasitic    | .      | .    |
| Suicide                   | 2      | .    |

\* Rate for female breast cancer based  
on female population.ALCOHOL AND DRUG ABUSE AS UNDERLYING  
OR CONTRIBUTING CAUSE OF DEATH

|                |   |   |
|----------------|---|---|
| Alcohol        | 1 | . |
| Other Drugs    | 1 | . |
| Both Mentioned | . | . |

## ----- M O T O R V E H I C L E C R A S H E S -----

Note: These data are based on location of crash, not on residence.

| Type of Motor Vehicle Crash | Persons Injured | Persons Killed |
|-----------------------------|-----------------|----------------|
| Total Crashes               | 54              | 3              |
| Alcohol-Related             | 5               | 1              |
| With Citation:              |                 |                |
| For OWI                     | 5               | 1              |
| For Speeding                | 2               | 0              |
| Motorcyclist                | 3               | 0              |
| Bicyclist                   | 1               | 0              |
| Pedestrian                  | 1               | 0              |

## HOSPITALIZATIONS

| DISEASE /<br>AGE GROUP                                 | Number | Per<br>1,000<br>Pop | Average<br>Stay<br>(Days) | Average<br>Charge | Charge<br>Per<br>Capita |
|--|--------|---------------------|---------------------------|-------------------|-------------------------|
| Injury-Related: All                                    |        |                     |                           |                   |                         |
| Total  | 47     | 7.5                 | 4.5                       | \$9,970           | \$75                    |
| <18  | 5      | .                   | .                         | .                 | .                       |
| 18-44  | 11     | .                   | .                         | .                 | .                       |
| 45-64  | 8      | .                   | .                         | .                 | .                       |
| 65+  | 23     | 15.8                | 5.5                       | \$10,414          | \$165                   |
| Injury: Hip Fracture                                   |        |                     |                           |                   |                         |
| Total  | 5      | .                   | .                         | .                 | .                       |
| 65+  | 5      | .                   | .                         | .                 | .                       |
| Injury: Poisonings                                     |        |                     |                           |                   |                         |
| Total  | 3      | .                   | .                         | .                 | .                       |
| 18-44  | 1      | .                   | .                         | .                 | .                       |
| Psychiatric  |        |                     |                           |                   |                         |
| Total  | 32     | 5.1                 | 11.6                      | \$7,254           | \$37                    |
| <18  | 2      | .                   | .                         | .                 | .                       |
| 18-44  | 18     | .                   | .                         | .                 | .                       |
| 45-64  | 4      | .                   | .                         | .                 | .                       |
| 65+  | 8      | .                   | .                         | .                 | .                       |
| Coronary Heart Disease                                 |        |                     |                           |                   |                         |
| Total  | 48     | 7.6                 | 3.3                       | \$10,941          | \$84                    |
| 45-64  | 16     | .                   | .                         | .                 | .                       |
| 65+  | 28     | 19.2                | 3.7                       | \$11,486          | \$221                   |
| Malignant Neoplasms (Cancers): All                     |        |                     |                           |                   |                         |
| Total  | 25     | 4.0                 | 4.7                       | \$9,130           | \$36                    |
| 18-44  | 2      | .                   | .                         | .                 | .                       |
| 45-64  | 6      | .                   | .                         | .                 | .                       |
| 65+  | 17     | .                   | .                         | .                 | .                       |
| Neoplasms: Female Breast (rates for female population) |        |                     |                           |                   |                         |
| Total  | 3      | .                   | .                         | .                 | .                       |
| Neoplasms: Colo-rectal                                 |        |                     |                           |                   |                         |
| Total  | 1      | .                   | .                         | .                 | .                       |
| 65+  | 1      | .                   | .                         | .                 | .                       |
| Neoplasms: Lung  |        |                     |                           |                   |                         |
| Total  | 2      | .                   | .                         | .                 | .                       |
| Diabetes   |        |                     |                           |                   |                         |
| Total  | 6      | .                   | .                         | .                 | .                       |
| 65+  | 2      | .                   | .                         | .                 | .                       |

| DISEASE /<br>AGE GROUP                | Number | Per<br>1,000<br>Pop | Average<br>Stay<br>(Days) | Average<br>Charge | Charge<br>Per<br>Capita |
|---------------------------------------|--------|---------------------|---------------------------|-------------------|-------------------------|
| Alcohol-Related                       |        |                     |                           |                   |                         |
| Total                                 | 34     | 5.4                 | 8.4                       | \$4,023           | \$22                    |
| 18-44                                 | 22     | 10.7                | 10.0                      | \$4,248           | \$45                    |
| 45-64                                 | 7      | .                   | .                         | .                 | .                       |
| Pneumonia and Influenza               |        |                     |                           |                   |                         |
| Total                                 | 17     | .                   | .                         | .                 | .                       |
| <18                                   | 3      | .                   | .                         | .                 | .                       |
| 45-64                                 | 2      | .                   | .                         | .                 | .                       |
| 65+                                   | 12     | .                   | .                         | .                 | .                       |
| Cerebrovascular Disease               |        |                     |                           |                   |                         |
| Total                                 | 8      | .                   | .                         | .                 | .                       |
| 45-64                                 | 3      | .                   | .                         | .                 | .                       |
| 65+                                   | 5      | .                   | .                         | .                 | .                       |
| Chronic Obstructive Pulmonary Disease |        |                     |                           |                   |                         |
| Total                                 | 10     | .                   | .                         | .                 | .                       |
| <18                                   | 1      | .                   | .                         | .                 | .                       |
| 18-44                                 | 0      | .                   | .                         | .                 | .                       |
| 45-64                                 | 6      | .                   | .                         | .                 | .                       |
| 65+                                   | 3      | .                   | .                         | .                 | .                       |
| Drug-Related                          |        |                     |                           |                   |                         |
| Total                                 | 5      | .                   | .                         | .                 | .                       |
| 18-44                                 | 3      | .                   | .                         | .                 | .                       |
| Total Hospitalizations                |        |                     |                           |                   |                         |
| Total                                 | 531    | 84.5                | 4.8                       | \$6,859           | \$580                   |
| <18                                   | 74     | 57.3                | 3.1                       | \$3,174           | \$182                   |
| 18-44                                 | 130    | 63.0                | 4.5                       | \$4,413           | \$278                   |
| 45-64                                 | 95     | 64.4                | 5.0                       | \$8,923           | \$574                   |
| 65+                                   | 232    | 159.4               | 5.6                       | \$8,560           | \$1,364                 |

## --- PREVENTABLE HOSPITALIZATIONS \* ---

|       |    |      |     |         |       |
|-------|----|------|-----|---------|-------|
| Total | 81 | 12.9 | 5.2 | \$6,014 | \$78  |
| <18   | 7  | 5.4  | 1.1 | \$925   | \$5   |
| 18-44 | 8  | 3.9  | 3.0 | \$3,053 | \$12  |
| 45-64 | 14 | 9.5  | 5.3 | \$9,739 | \$92  |
| 65+   | 52 | 35.7 | 6.1 | \$6,153 | \$220 |

\* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization.